

Call 1300 727 237 or email: afsorders@csr.com.au

ABN:						Delivery address:						
Company name:						elivery date: Time:						
Email:						Delivery: □ Pickup from AFS, Minto or delivery via □ B-Double □ Rigid □ Rigid/crane □ Semi						
Site contact:			Phone:			Unload method:						
Order numbe	er:		Date:			Site restrictions:						
RW	/110	C	Pa	ge	of							
		rice on receipt of y	our entries in n	netres/height —			Additional to	o your m ² pricing -				
Speedy Sna	ap-In™ Wall P	Panels Enter & tic	k your size			Floor Track 3	m lengths only	End Caps				
	Panel heights	under 2500mm i	ncur a cutting f	ee of \$2.50 per	panel		included in your m ²		Quantity			
110mm	Lineal Metres	<i>Height (m)*</i> ☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	110mm	Lineal Metres	Height (m)*		track required	110mm		x 3.0m		
110mm		☐ x 2.8m ☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	110mm				oor track additional to uded in your m²?	110mm		x 3.6m		
110mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	110mm			Ti	ick choice:	Screws 25m	boxes?			
110mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	110mm				PVC floor track Floor angle Fibre Cement Strip (FCS 9mm)		ws required			
Ezy-Fit™ 90	• Corners Ente	r & tick your size						Quantity		x 1.5m		
110mm	Quantity	☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	110mm	Quantity	☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	TTUMM	<i>Quantity</i> x 3.0m	Quantity Quantity		x 3.0m x 4.5m		
110mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	110mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	Upon re	eceipt we will cont	act you to co	nfirm this	order		
H-Joiners Er	nter & tick your si.	ze				AFS office ι	use only:	Total m ²				
110mm	Quantity	□ x 3.0m □ x 3.6m	110mm	Quantity	□ x 3.0m □ x 3.6m			Extras				
T-Joiners En	nter & tick your siz	e.										
110mm	Quantity	□ x 3.0m □ x 3.6m	110mm	Quantity	□ x 3.0m □ x 3.6m							
Squint Angl	l es (Colorbond	[®]) For non-90° co	rners									
		Quantity	×	3m								
		9.6m) or enter custon e for custom heights.	n heights from 600)mm to 7.5m in 10)mm increments.							



All prices exclude GST. Lead times from confirmation of your order: an AFS customer service representative will confirm lead times for your order. A surcharge may apply for delivery of orders under 125m². AFS will not accept return of left-over product that has been approved and signed for by the customer. AFS Standard Terms & Conditions of Sale apply to this order (copy available upon request). Quantity of floortrack ordered over and above the lineal metres (L/M) of wall panel ordered will be an additional cost.

Questions? Call us on 1300 727 237 or email afsorders@csr.com.au



Call 1300 727 237 or email: afsorders@csr.com.au

ABN:					[Delivery address:							
Company nar	ne:				[elivery date: Time:							
Email:					[Delivery: □ Pickup from AFS, Minto or delivery via □ B-Double □ Rigid □ Rigid/crane □ Semi							
Site contact:			Phone:		l	Jnload method:							
Order numbe	r:		Date:			Site restrictions:							
RW	156	C	Pag	ge	of								
		ce on receipt of y	our entries in m	etres/height —									
Speedy Sna	p-In™ Wall Pa	anels Enter & tic	k your size	-		H-Joiners Ente	er & tick your si.	ze					
	Panel heights u	under 2500mm i	ncur a cutting f	ee of \$2.50 per	panel		Quantity			Quantity			
	Lineal Metres	Height (m)*		Lineal Metres	Height (m)*	156mm		🗌 x 3.0m	156mm		🗌 x 3.0m		
156mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m	156mm			_		🗌 x 3.6m	_		□ x 3.6m		
		□ x 3.6m □ x 2.8m				J-Track	_			S (Colorbond*)	For non-90° corners		
156mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	156mm			Quantity		x 3m	Quantity		x 3m		
		🗌 x 2.8m				T-Joiners Ente	er & tick your siz	e.					
156mm		□ x 3.0m □ x 3.2m	156mm				Quantity			Quantity			
		☐ x 3.6m ☐ x 2.8m ☐ x 3.0m				156mm		☐ x 3.0m ☐ x 3.6m	156mm		□ x 3.0m □ x 3.6m		
156mm		☐ x 3.2m ☐ x 3.6m	156mm					your m ² pricing -					
Ezv-Fit™ 90°	Corners Enter	& tick vour size				Floor Track	3m lengths or	nlv	End Caps				
	Quantity			Quantity		Floor track is							
		🗌 x 2.8m			🗌 x 2.8m	unless: (tick of		n your m		Quantity			
156mm		□ x 3.0m □ x 3.2m □ x 3.6m	156mm		□ x 3.0m □ x 3.2m □ x 3.6m	☐ Yes, floor ☐ No floor t			156mm		x 3.0m		
150		□ x 2.8m □ x 3.0m	150		□ x 2.8m □ x 3.0m				156mm		x 3.6m		
156mm		□ x 3.2m □ x 3.6m	156mm		□ x 3.2m □ x 3.6m	Metres of fl that inc	cluded in yo		1501111				
115mm Spac	ers Enter & tick	your size				156mn	n		Screws 25m	m screws • 1	,000 per box		
	Quantity			Quantity					How many	boxes?			
156mm		□ x 3.0m □ x 3.6m	156mm		□ x 3.0m □ x 3.6m	PVC floor	Tick choice:] Floor angle	□ No scre		d Tick to select		
						E'les Como							
Female/Fem		ice width 42m	m) Enter & tick			Fibre Cemer	nt Strip (FCS	9mm)	Braces 1.5m	n, 3m or 4.5m	i heights		
150	Quantity	🗌 x 3.0m	456	Quantity	□ x 3.0m				Quantity		x 1.5m		
156mm		□ x 3.6m	156mm		☐ x 3.6m		Quantity				x 2.0m		
Female/Fem	ale Column P	Panel (face wid	th 250mm) E	inter & tick vour	size	156mm		x 3.0m	Quantity		x 3.0m		
	Quantity			Quantity					Quantity		x 4.5m		
156mm		□ x 2.8m □ x 3.0m	156mm		□ x 2.8m □ x 3.0m	llnon	racaintur	o will conta		ofirm thi	ardar		
		□ x 3.2m □ x 3.6m □ x 2.8m			☐ x 3.2m ☐ x 3.6m ☐ x 2.8m		·	e will conta	ct you to co	njirm this	sorder		
156mm		□ x 2.8m □ x 3.0m □ x 3.2m	156mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m	AFS office	use only:	٦	Total m ²				
		□ x 3.2m □ x 3.6m			□ x 3.2m □ x 3.6m				Vtrac				
		6m) or enter custon for custom heights.	n heights from 600	0mm to 7.5m in 10	Omm increments.			t	Extras				

afs

All prices exclude GST. Lead times from confirmation of your order: an AFS customer service representative will confirm lead times for your order. A surcharge may apply for delivery of orders under 125m². AFS will not accept return of left-over product that has been approved and signed for by the customer. AFS Standard Terms & Conditions of Sale apply to this order (copy available upon request). Quantity of floortrack ordered over and above the lineal metres (L/M) of wall panel ordered will be an additional cost.

Questions? Call us on 1300 727 237 or email afsorders@csr.com.au

CSR



CSR

Call 1300 727 237 or email: afsorders@csr.com.au

ABN:					Delivery address:								
Company na					Delivery date: Time:								
Email:						 Delivery: □ Pickup from AFS, Minto or delivery via □ B-Double □ Rigid □ Rigid/crane □ Sem							
Site contact:			Phone:			Unload method	:						
Order numbe	er:		Date:			Site restrictions							
RW	/2000	C	Pag	ge	of								
		e on receipt of y	our entries in m	etres/height —									
Speedy Sna	ap-In™ Wall Pa	nels Enter & tic	k your size			H- Joiners	Enter & tick	your size	15 Degree	Curve Pane	1		
	Panel heights u	nder 2500mm in	ncur a cutting f	ee of \$2.50 per	panel	Quantity		Quantity	Quantity	(Quantity		
	Lineal Metres	Height (m)*		Lineal Metres	Height (m)*		x 3.0m	x 3.6m		x 3.0m	x 3.6m		
200mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	200mm			J-Track		-	Squint Ang	les (Colorbond	*) For non-90° corners		
200mm		□ x 2.8m □ x 3.0m □ x 3.2m	200mm			Quantity		x 3m	Quantity		x 3m		
		x 3.6m				T-Joiners	Enter & tick y	our size					
200mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	200mm			200mm	Quant	tity □ x 3.0m □ x 3.6m	200mm	Quantity	□ x 3.0m □ x 3.6m		
200mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	200mm			Vertical B	ar Locator	• We strongly recommen	d VBLs for securing	of your vertica	ll reinforcement bars Boxes		
	_	_				No VBL	dwith	If required, enter total One box of VBL 200 requ			0mm		
Ezy-Fit™ 90	• Corners Enter of	& tick your size				this ora	ler		nea per 50 milearn	10000 20			
	Quantity	🗌 x 2.8m		Quantity	🗌 x 2.8m			Additional to	your m² pricing				
200mm		□ x 3.0m □ x 3.2m □ x 3.6m	200mm		□ x 3.0m □ x 3.2m □ x 3.6m	Floor Tra		gths only ded in your m ²	End Caps	Quantity			
200mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m	200mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m	☐ Yes, flo	loor track required		200mm		x 3.0m		
	-	🗌 x 3.6m			🗌 x 3.6m	□ No floo	or track r	equired	200mm		x 3.6m		
115mm Spa	cers Enter & tick	your size						ack additional to	Carolus of		4.000		
	Quantity	🗌 x 3.0m		Quantity	🗌 x 3.0m		included	in your m²?	SCIEWS 25	mm screws •	1,000 per box		
200mm		□ x 3.6m	200mm		□ x 3.6m		mm		How man	y boxes?			
Female/Fen	nale Joiners (fa	ce width 42m	m) Enter 8. tick	voursize			Tick ch	poico:	🗌 No scr	ews requir	ed Tick to select		
r emaie/r en	Quantity			Quantity		□ PVC f	loor track	□ Floor angle	Braces 1.5	m, 3m or 4.5	m heights		
200mm		□ x 3.0m □ x 3.6m	200mm		□ x 3.0m □ x 3.6m		nent Strip	(FCS 9mm compressed)	Quantity		x 1.5m		
Female/Fen	nale Column P	anel (face wid	th 250mm) E	nter & tick your	size		Quan	tity	Quantity		x 3.0m		
	Quantity			Quantity		200mm		x 3.0m					
200mm		□ x 2.8m □ x 3.0m □ x 3.2m	200mm		□ x 2.8m □ x 3.0m □ x 3.2m				Quantity		x 4.5m		
		□ x 3.6m □ x 2.8m			□ x 3.6m □ x 2.8m	Upo	n receip	ot we will conta	ict you to co	onfirm th	nis order		
200mm		□ x 3.0m □ x 3.2m □ x 3.6m	200mm		☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	AFS off	ice use o	nly:	Total m ²				
	nts (2.8, 3.0, 3.2 or 3.6 orking day lead time j		n heights from 600	0mm to 7.5m in 10	Omm increments.				Extras				



All prices exclude GST. Lead times from confirmation of your order: an AFS customer service representative will confirm lead times for your order. A surcharge may apply for delivery of orders under 125m². AFS will not accept return of left-over product that has been approved and signed for by the customer. AFS Standard Terms & Conditions of Sale apply to this order (copy available upon request). Quantity of floortrack ordered over and above the lineal metres (L/M) of wall panel ordered will be an additional cost.

Questions? Call us on 1300 727 237 or email afsorders@csr.com.au



ABN

Order Form

Call 1300 727 237 or email: afsorders@csr.com.au

						,							
Company nar					Delivery date: Time:								
Email:					Delivery: 🗌 Pickup fro	om AFS, Mi	nto or delivery via	🗆 B-Double 🔲 F	Rigid 🗌 Rigid/	′crane 🗌 Semi			
Site contact:		Phone:			Unload method:								
Order number: Date:						Site restrictions:							
RW	256	S	Pag	ge	0	f							
	—— AFS will p	rice on receipt of y	our entries in m	etres/height —				— Additional to y	our m² pricing —				
Slide-In Wa	II Panels Ente	er & tick your size				Floor Track	3m lengths	only	End Caps				
	Panel heights	under 2500mm i Height (m)*	ncur a cutting f	ee of \$2.50 per Lineal Metres	panel Height (m)*	Floor track is unless: (tick c		d in your m ²		Quantity			
256mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	256mm			☐ Yes, floor ☐ No floor t			256mm		x 3.0m x 3.6m		
256mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m	256mm				oor track luded in y	additional to your m²?	256mm				
256mm		☐ x 3.6m ☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	256mm			256mn 	n Fick choic	e:	Quickcap™ (End Cap, no br <i>Quantity</i>	acing required) x 3.0m		
256mm		☐ x 2.8m ☐ x 3.0m ☐ x 3.2m ☐ x 3.6m	256mm			PVC floor Screws 25mr		☐ <i>Floor angle</i> 1,000 per box	256mm		x 3.6m		
Female/Fem	nale Joiners (1	ace width 42m	m) Enter & tick	your size		How many	boxes?						
	Quantity			Quantity		🗌 No screw	vs require	ed Tick to select	Braces 1.5m,	3m or 4.5m ł	neights		
256mm		□ x 3.0m □ x 3.6m	256mm		□ x 3.0m □ x 3.6m		t Strip (FCS	9mm compressed)	Quantity		x 1.5m		
Vertical Bar	Locator We st	trongly recommend	VBLs for securing	of your vertical i	reinforcement b	pars	Quantity		Quantity		x 3.0m		
No VBL required w this order	vith One ho	uired, enter total l bx of VBL 250+ requ			Boxes	256mm		x 3.0m	Quantity		x 4.5m		

Delivery address

*Select stock heights (2.8, 3.0, 3.2 or 3.6m) or enter custom heights from 600mm to 7.5m in 10mm increments. Allow up to 10 working day lead time for custom heights.

Upon receipt we will contact you to confirm this order

AFS office use only:

Total m²

Extras



All prices exclude GST. Lead times from confirmation of your order: an AFS customer service representative will confirm lead times for your order. A surcharge may apply for delivery of orders under 125m². AFS will not accept return of left-over product that has been approved and signed for by the customer. AFS Standard Terms & Conditions of Sale apply to this order (copy available upon request). Quantity of floortrack ordered over and above the lineal metres (L/M) of wall panel ordered will be an additional cost.



Call 1300 727 237 or email: afsorders@csr.com.au

ABN:						Delivery address:							
Company nai	me:				[Delivery date: Time:							
Email:					[Delivery: 🗌 Pickup from	n AFS, Minto or delivery vi	a 🗌 B-Double 🗌]Rigid 🗌 Rigio	d∕crane □Semi			
Site contact:			Phone:		ι	Jnload method:							
Order numbe	er:		Date:		<u> </u>	ite restrictions:							
RW	275	S	Pa	ge	of								
	—— AFS will p	rice on receipt of y	our entries in n	netres/height —			Additional t	o your m² pricing					
Slide-In Wa	III Panels Ente	er & tick your size				End Caps							
	Panel heights	under 2500mm i	incur a cutting f	ee of \$2.50 per إ	panel		Quantity		Quantity				
	Lineal Metres	Height (m)*		Lineal Metres	Height (m)*	275mm	□ x 3.0m □ x 3.6m	275mm		□ x 3.0m □ x 3.6m			
275mm		□ x 3.0m □ x 3.6m	275mm			Screws 25mm	screws • 1,000 per box	Braces 1.5	n, 3m or 4.5m	_			
275mm		□ x 3.0m □ x 3.6m	275mm			How many bo	required Tick to select	Quantity		x 1.5m			
275mm		□ x 3.0m □ x 3.6m	275mm			Fibre Cement S	trip (FCS 12mm compressed) Quantity		x 3.0m			
275mm		□ x 3.0m □ x 3.6m	275mm			275mm	x 3.0m	Quantity		x 4.5m			
Female/Fen	nale Joiners (1	face width 42m	m) Enter & tick	your size		Upon re	ceipt we will cont	act you to co	onfirm this	s order			
275mm	Quantity	□ x 3.0m □ x 3.6m	275mm	Quantity	□ x 3.0m □ x 3.6m	AFS office u	se only:	Total m ²					
Vertical Bar	Locator Wes	trongly recommend	VBLs for securing	g of your vertical r	einforcement ba	rs		Extras					
No VBL required t this order	vith One h	u ired, enter total l ox of VBL 250+ requ			Boxes								

*Select stock heights (3.0 or 3.6m) or enter custom heights from 600mm to 7.5m in 10mm increments. Allow up to 10 working day lead time for custom heights.



All prices exclude GST. Lead times from confirmation of your order: an AFS customer service representative will confirm lead times for your order. A surcharge may apply for delivery of orders under 125m². AFS will not accept return of left-over product that has been approved and signed for by the customer. AFS Standard Terms & Conditions of Sale apply to this order (copy available upon request). Quantity of floortrack ordered over and above the lineal metres (L/M) of wall panel ordered will be an additional cost.



Call 1300 727 237 or email: afsorders@csr.com.au

ABN:						Delivery address:							
Company nai	me:				[Delivery date: Time:							
Email:					[Delivery: 🗌 Pickup from	m AFS, Minto c	or delivery via	B-Double]Rigid 🗌 Rigi	d/crane □Semi		
Site contact:			Phone:		l	Jnload method:							
Order numbe	er:		Date:			Site restrictions:							
RW	/300	S	Pa	ge	of								
	—— AFS will pr	rice on receipt of y	our entries in n	netres/height —				Additional to y	our m² pricing				
Slide-In Wa	III Panels Ente	er & tick your size				End Caps							
	Panel heights	under 2500mm i	ncur a cutting f	ee of \$2.50 per l	panel		Quantity			Quantity			
	Lineal Metres	Height (m)*		Lineal Metres	Height (m)*	300mm		□ x 3.0m □ x 3.6m	300mm		□ x 3.0m □ x 3.6m		
300mm		□ x 3.0m □ x 3.6m	300mm			Screws 25mm	screws • 1,000	per box	Braces 1.5	m, 3m or 4.5m	h heights		
300mm		□ x 3.0m □ x 3.6m	300mm			How many b		ick to select	Quantity		x 1.5m		
300mm		□ x 3.0m □ x 3.6m	300mm			Fibre Cement	Strip (FCS 12mm <i>Quantity</i>	n compressed)	Quantity		x 3.0m		
300mm		□ x 3.0m □ x 3.6m	300mm			300mm		x 3.0m	Quantity		x 4.5m		
Female/Fen	nale Joiners (f	ace width 42m	m) Enter & tick	your size		Upon re	eceipt we v	vill contac	ct you to co	onfirm thi	s order		
300mm	Quantity	□ x 3.0m □ x 3.6m	300mm	Quantity	□ x 3.0m □ x 3.6m	AFS office u	ise only:	Т	otal m ²				
Vertical Bar	Locator We st	rongly recommend	VBLs for securing	g of your vertical r	einforcement ba	rs		E	xtras				
No VBL required t this order	vith One bo	i red, enter total l ox of VBL 250+ requ			Boxes								

*Select stock heights (3.0 or 3.6m) or enter custom heights from 600mm to 7.5m in 10mm increments. Allow up to 10 working day lead time for custom heights.



All prices exclude GST. Lead times from confirmation of your order: an AFS customer service representative will confirm lead times for your order. A surcharge may apply for delivery of orders under 125m². AFS will not accept return of left-over product that has been approved and signed for by the customer. AFS Standard Terms & Conditions of Sale apply to this order (copy available upon request). Quantity of floortrack ordered over and above the lineal metres (L/M) of wall panel ordered will be an additional cost.