



Building better aged care.

Proven, faster completion of nursing homes, aged care villages and specialist facilities.

AFS Rediwall[®] walling systems has become a choice supplier for many major aged care providers.

Aged Care providers want cost-effective construction, the highest quality finish, and strict adherence to completion times. Little wonder architects, engineers and builders turn to AFS walling systems to help meet all of these demands.

CSR

AFS forms part of CSR Limited. CSR is Australia's oldest manufacturer and is the name behind some of Australia and New Zealand's most trusted and recognised building product brands.



For over two decades AFS has been providing construction professionals with premier walling systems that exceed clients' expectations. Millions of square metres of AFS permanent formwork has been installed in thousands of projects nationwide.








lightweight
 versatile application
 premium finish




PVC-based walling system for above & below ground application.

The benefits of AFS Rediwall[®] begin at delivery: arriving cut-to-size or in stock lengths. Easily handled, its innovative panels readily snap or slide into place, making for rapid installation and core-filling – in almost endless applications. The resulting semi-gloss finish provides a low maintenance surface, with the option for further finishing as specified.

Benefits include:



Industry-leading range of profile widths.



			1111			Ē
		C C	18894	11		F
	RW110 Snap-In	RW156 Snap-In	RW200 Snap-In	RW256 Slide-In	RW275 Slide-In	RW300 Slide-In
Wall Thickness	105mm	150mm	194mm	250mm	269mm	294mm
Filled Wall Mass (kg/m2)	252	360	466	600	646	706
Application	Party walls		Basements, party and blade walls, retaining walls and retention tanks, service and stormwater pits		Basements, party and blade walls, columns, retaining walls	
Acoustic Rating	50	56	58	61	(>60)	(>60)
(Rw) Rw + Ctr	45	50	53	54	>55	>55
Max Fire Resistance Level (based on CSIRO testing)	90/90/90 (N*f<152 kN/m, Hwu<2700)##	240/240/240 (N*f<333 kN/m, Hwu<3000)##	240/240/180 (N*f/ØNu=0.53)#	240/240/240 (N*f/ØNu=0.54)#	240/240/240 (N*f/ØNu=0.69)#	240/240/240 (N*f/ØNu=0.70)#
Design Axial Capacities# (kN/m)	315	450	2015	2731	2968	3277

Based on AS3600-2018 with Hwu=3000, f'c=32 Mpa UNO

Based on CSIRO Fire Test Report Number FSV1704, SGA Evidence of Suitability Report 2013/277.65 R1.2

#2 2 layers of reinforcement

In-house and on-site expertise.

- Reliability
- **Speed**
- Simplicity
- Ease

AFS DesignLINK Team.

Customers enjoy calling on the experience of our in-house team of experts and the peace-of-mind of using our recommended installers.

We offer the very best project advice through our in-house team of experts, including engineers, estimators and technical advisers. You'll also have access to the AFS design toolbox, a library of design and construction guides, and our in-house project specialists.

Get expert help from our DesignLINK team



Australia's premier aged care facilities are constructing with AFS walling systems.



Bupa Aged CareImage: 120 Killeaton St, St Ives NSW1033m2984AFS Rediwall®roomslevels

AFS Rediwall: Internal & external walls, lift cores **Installer:** HD Projects

1000

"

Entry

Due to this project's repetitive room setout, AFS walling provided a simple structural solution – saving both time in design and construction.

> MICHAEL GROGAN, BIRZULUS ASSOCIATES

Southern Cross Care

 Thornton Park Residential Aged Care, 72-78 Empire Circuit, Penrith NSW

1557m² AFS Rediwall®

48 suites **100** beds

3 levels

THORNTON PARK

AFS Rediwall[®]: Blade & party walls, columns, balustrades, internal walls, stair cores, basement, lift core Installer: HD Projects

We used AFS Rediwall[®] as the panels meant that the construction process was quick and efficient. When installed and filled with concrete it also meets the demands for fire resistance, acoustic and thermal installation requirements. Overall it proved to be a better solution for our walling requirements.

ANDREW TRICARDOS, PROJECT MANAGER HINDMARSH CONSTRUCTIONS "

Estia Kogarah 🛇 74 Rocky Point Rd, Kogarah NSW
 800m²
 AFS Rediwall® 74 Rocky Point Rd, Kogarah NSW
 levels

AFS Rediwall^{*}: Internal & external walls, corridor and party walls, lift cores and riser walls **Installer:** HD Projects

We utilised AFS Rediwall[®] on our aged care projects in Kogarah and Bexley because of the time and cost efficiencies associated with the products.

TED MCNAMARA, ESTIA AGED CARE

Estia Health 9 3–5 Eddystone Ave, Bexley NSW **1200m²** 2 3 AFS Rediwall® 3–5 Eddystone Ave, Bexley NSW levels

AFS Rediwall[®]: External walls, lift & stair shafts Installer: HD Projects

"


Not needing scaffolding or cranage was a cost saving and, with only having to brace the outside of the system, we got easy access while preparing the floor slab. And being able to pour large volumes of concrete saved valuable time.

TED MCNAMARA, ESTIA AGED CARE



AFS Systems Pty Ltd

(C) 2024 AFS Systems Pty Ltd ABN 455 760 727 88 110 Airds Road, Minto NSW 2566 | 1300 727 237 | afsformwork.com.au



Disclaimer: Information presented in this document is supplied in good faith and to the best of our knowledge was accurate at the time of preparation. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purpose or specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by AFS or CSR, or its staff for any loss or damage caused by any person acting or refraining from action as a result of misuse of this information.

